## SATATYA NVR1601X

### 16 Channel NVR with 1 SATAPort







Compression: H.265

Decoding: 4K

Channel: 16Channels

• Storage: 1 SATA Port(10TB)

Throughput: 512Mbps

Matrix NVRs are packed with high end processors to deliver all the functionalities like high resolution recording, playback, simultaneous local and remote monitoring along with storing for higher number of days. Furthermore, these latest NVRs are also backed with an intelligent software to detect threats and send instant notifications for real-time security.

All in all, these comprehensive, flexible, reliable, integrated NVRs provide a proficient, persistent and a preventive security solution suitable for enterprises and multi-location offices.

#### **KEY FEATURES**



H.265 Compression



4K Decoding



12MP Recording



Cascading



Adaptive Recording



Camera-wise Recording Retension

#### CERTIFICATION











# SATATYANVR1601X

# 16 Channel NVR with 1 SATAPort



TECHNICAL SPECIFICATIONS		
VIDEO		
Input	16 IP Channels	
Output	HDMI (2.0) – 1 Port (Main)	
Compression	H.265/H.264/Motion JPEG	
AUDIO		
Input	1 Channel, RCA Port(2.0Vp-p), Range (-2dBu to 22dBu)	
Output	1 Channel, RCA Port Mono, Unbalanced Output, (2.0Vp-p),	
·	Range (-2dBu to 22dBu)	
Compression	G.711μ	
Two Way Audio	Yes	
THROUGHPUT		
Downlink Throughput	256Mbps	
	Following Scenarios are Considered:	
	1. Cameras Streaming to Device	
	2. Cameras of Cascaded Devices being Viewed on Local	
	3. Streaming from NAS for local/Web Client	
Uplink Throughput	256Mbps	
	Following scenarios are considered:	
	1. Cameras Streaming to Web Client	
	2. Storage or Backup to NAS	
Simultaneous Log-in	9+1(Admin)	
DISPLAY		
Split (Through LAN/HDMI)	1x1, 2x2, 3x3, 4x4, 1+5, 1+7, 3+4, 2+8, 1+12, 1©+12, 1+9, 4+9,2+12, 5x5, 6x6, 8x8 and Sequential	
Local Decoding	4x 4K/ 10x 3MP/ 16x 1080P/ 64 x D1	
Digital Zoom on Live	Yes	
Snapshot	Yes	
Multiple Camera Viewing	Through Cascading (up to 20 Devices)	
OSD	Channel Number and Name, Status, Video Loss, Recording and Disabled	
	Channel (As per camera support)	
	RECORDING	
Image Resolution	12MP, 8MP, 5MP, 3MP, 2MP, 720P, D1, CIF	
Pre-Record	Up to 30 Sec	
Post-Record	10-300 Sec	
Snapshot Format	JPEG	
Recording Format	Native	
Recording Types	Scheduled, Manual, Alarm and COSEC	
STORAGE AND BANDWIDTH OPTIMIZATION		
Adaptive Recording	Automatically Reduces the Number of Frames Captured Per Second Where	
	There is No Motion, Thereby Saving Storage Space.	
Bandwidth	Automatically Adapts Optimized Resolution on Local Display Through HDMI	

# SATATYANVR1601X

# 16 Channel NVR with 1 SATAPort



	PLAYBACK AND BACKUP		
Synchronous Playback	16 channels @ 1080P (via HDMI)		
Search Mode	Date and Time, Camera, Recording Type, Recording Drive		
Playback Modes	Fast Forward, Slow Forward, Slow Reverse, Fast Reverse at Different		
	Speed Control, Next-Previous Frame		
Backup	Manual Backup over USB and NAS,		
Баскар	Scheduled Backup over USB, NAS and FTP		
	Scheduled Backup over USB through USB2.0 Interface		
	Manual Backup over USB through USB3.0 Interface		
	Quick Backup over USB, NAS and Local PC		
Configuration Backup	Yes		
Network Functions	TCP/IP, DHCP, PPPOE, DDNS, Free Matrix DNS, FTP, SMTP, NTP,		
	RTP/RTSP, CIFS/NFS, Network Acceleration, UDP		
Maximum User	120		
Remote Operation	Monitor, PTZ Control, Playback, System Setting, File Download, Log		
	Information, Upgrade		
	EVENTS AND ACTION		
Trigger Events	Motion Detection, View Tampering, Tripwire, Object Intrusion, Audio		
	Exception, Missing Object, Suspicious Object, Loitering, Object Counting,		
	Recording Start, Recording Fail, Camera Offline, Camera Online		
System Events	Manual Trigger, On Boot Alarm, Storage Alert, Disk Volume Full, Disk Fault,		
	Schedule Backup Fail		
Actions	Recording on Selected Channel, Upload Images on FTP/Email server, Email		
	Notification with Snapshot, TCP Notification, Recall PTZ Preset Position,		
	Turn On/OffAlarm Outputs, Buzzer Notification, SMS Notification, Calling		
	from Mobile App		
	STORAGE INTERFACE		
SATA Interface	1 SATA III (10TB per port)		
NAS	2 NAS (CIFS, NFS)		
USB	1 TB USB Drive		
RAID	Single Disk		
Retention	Camera Wise, HDD usage % wise, Day wise		
	INTERFACE		
Network Interface	1 Port x Ethernet (RJ-45) 10/100/1000Mbps		
USB	3 Ports (1x USB 3.0, 2x USB2.0)		
LED	System Status LED, Power LED		
Alarm Input	2		
Alarm Output	1		
Reset Switch	Yes		
Buzzer	Yes		
SYSTEM INTERFACE			
Processor	ARM Cortex A17 Quad-Core		
RAM	2GB		


# SATATYA NVR1601X

## 16 Channel NVR with 1 SATAPort



Flash	2GB	
OS	Embedded Linux	
Control Mode	Mouse, Web Client and Mobile Client	
CAMERA SUPPORT		
Third Party Camera Support	Cameras with ONVIF 2.0 & above	
ENVIRONMENT CONDITIONS		
Operating Temperature	0°C to +50°C (32°F to 122°F)	
Humidity Range	5% to 95% RH Non-Condensing.	
ELECTRICAL AND MECHANICAL		
Power Input	12VDC, 5A	
Dimension(W×H×D)	320(without clamp) × 45.5 x 195.5	
Weight (Kg)	1.38kg	

#### **DIMENSIONS**



## SATATYA NVR1601X

### 16 Channel NVR with 1 SATAPort



#### **ABOUT MATRIX**

Established in 1991, Matrix is a leader in security and telecom solutions for modern businesses and enterprises. Matrix, an innovative, technology driven and customer focused organization, is committed to keep pace with the revolutions in security and telecom industries. With more than 40% of its human resources dedicated to the development of new products, Matrix has launched cutting-edge products such as Unified Communications, IP-PBX, Universal Gateways, Convergence, VOIP Gateways, GSM Gateways, IP Video Surveillance, Access Control and Time-Attendance. These solutions are feature-rich, reliable and conform to the international standards. Having global footprints in Europe, North America, South America, Africa, and Asia through an extensive network of more than 1000 system integrators, Matrix ensures that the products serve the needs of its customers faster and longer. Matrix has gained trust and admiration of customers representing the entire spectrum of industries. Matrix has won many national and international awards for its innovative products.



#### MATRIX COMSEC

Head Office 394-GIDC, Makarpura, Vadodara-390 010, India.

Ph: +91 265-613-7222

E-mail: Inquiry@MatrixComSec.com

Factory 19-GIDC, Waghodia, Dist. Vadodara-391 760, India.

Ph: +91 265-613-7222

#### **MATRIX COMSEC- North America**

2 Wickstead Crt, Brampton, Ontario, L6R 1N8. +1 408-643-0581 (USA) +1 437-266-1005 (Canada)

www.MatrixComSec.com