SATATYA NVR3204X 32 Channel NVR with 4 SATAPort






- Compression: H.265
- Decoding: 4K
- Channel: 32 Channels
- Storage: 4 SATA Port (10TB each)
- Throughput: 512Mbps

Matrix NVRs are packed with high end processors to deliver all the functionalities like high resolution recording, playback, simultaneous local and remote monitoring along with storing for higher number of days. Furthermore, these latest NVRs are also backed with an intelligent software to detect threats and send instant notifications for real-time security.

All in all, these comprehensive, flexible, reliable, integrated NVRs provide a proficient, persistent and a preventive security solution suitable for enterprises and multi-location offices.



Make in India

SATATYA NVR3204X

32 Channel NVR with 4 SATAPort



TECHNICAL SPECIFICATION		
VIDEO		
Input	32 IP Channels	
Output	HDMI (2.0) – 1 Port (Main)	
Compression	H.265/H.264/ Motion JPEG	
	AUDIO	
Input	1 Channel, RCA Port(2.0Vp-p), Range (-2dBu to 22dBu)	
Output	1 Channel, RCA Port Mono, Unbalanced output, (2.0Vp-p),	
	Range (-2dBu to 22dBu)	
Compression	G.711µ	
Two-Way Audio	Yes	
THROUGHPUT		
Downlink Throughput	256Mbps	
	Following Scenarios are Considered:	
	1. Cameras Streaming to Device	
	2. Cameras of Cascaded Devices are Being Viewed on Local	
	3. Streaming from NAS for Local/Web Client	
Uplink Throughput	256Mbps	
	Following Scenarios are Considered:	
	1. Cameras Streaming to Web Client	
	2. Storage or Backup to NAS	
Simultaneous Log-in	9+1(Admin)	
	DISPLAY	
Split (Through LAN/HDMI)	1x1, 2x2, 3x3, 4x4, 1+5, 1+7, 3+4, 2+8, 1+12, 1©+12, 1+9, 4+9,2+12, 5x5, 6x6, 8x8 and Sequential	
Local Decoding	4x 4K/ 10x 3MP/ 16x 1080P/ 64 x D1	
Digital Zoom on Live	Yes	
Snapshot	Yes	
Multiple Camera Viewing	Through Cascading (up to 20 Devices)	
OSD	Channel Number and Name, Status, Video Loss, Recording and Disabled	
	Channel (As per camera support)	
	RECORDING	
Image Resolution	12MP, 8MP, 5MP,3MP, 2MP, 720P, D1, CIF	
Pre-Record	Up to 30 Sec	
Post-Record	10-300 Sec	
Snapshot Format	JPEG	
Recording Format	Native	
Recording Types	Scheduled, Manual, Alarm and COSEC	
STORAGE AND BANDWIDTH OPTIMIZATION		
Adaptive Recording	Automatically Reduces the Number of Frames Captured Per Second Where	
	There is No Motion, Thereby Saving Storage Space.	
Bandwidth	Automatically Adapts Optimized Resolution on Local Display Through HDMI	

Customer Care: +91 265-613-7222

SATATYA NVR3204X

32 Channel NVR with 4 SATAPort



PLAYBACK AND BACKUP			
Synchronous Playback	16 Channels @ 1080P (via. HDMI)		
Search Mode	Date and Time, Camera, Recording Type, Recording Drive		
Playback Modes	Fast Forward, Slow Forward, Slow Reverse, Fast Reverse at Different Speed Control, Next Previous Frame		
Backup	Manual Backup over USB and NAS		
	Scheduled Backup over USB, NAS and FTP		
	Scheduled Backup over USB through USB2.0 Interface		
	Manual Backup over USB through USB3.0 Interface		
	Quick Backup over USB, NAS and Local PC		
Configuration Backup	Yes		
Network Functions	TCP/IP, DHCP, PPPOE, DDNS, Free Matrix DNS, FTP, SMTP, NTP, RTP/RTSP, CIFS/NFS, Network Acceleration, UDP		
Maximum User	120		
Remote Operation	Monitor, PTZ Control, Playback, System Setting, File Download, Log Information, Upgrade		
EVENTS AND ACTION			
Trigger Events	Motion Detection, View Tampering, Tripwire, Object Intrusion, Audio Exception, Missing Object Detection, Suspicious Object, Loitering, Object Counting, Recording Start, Recording Fail, Camera Offline, Camera Online		
System Events	Manual Trigger, On Boot Alarm, Storage Alert, Disk Volume Full, Disk Fault, Scheduled Backup Fail		
Actions	Recording on Selected Channel, Upload Images on FTP/Email server, Email Notification with Snapshot, TCP Notification, Recall PTZ Position, Turn on/off Alarm Outputs, Buzzer Notification, SMS Notification, Calling from Mobile App		
	STORAGE		
SATA Interface	4 SATA III (10TB per port)		
NAS	2 NAS (CIFS, NFS)		
USB	1TB USB Drive		
RAID	RAID 0, RAID 1, RAID 5, RAID 10		
Retention	Camera Wise, HDD % usage wise, Day wise		
INTERFACES			
Network Interface	2 Ports x Ethernet (RJ-45) 10/100/1000Mbps		
USB	3 Ports (1x USB3.0, 2X USB2.0)		
LED	System Status LED, Power LED		
Alarm Input	2		
Alarm Output	1		
Reset Switch	Yes		
Buzzer	Yes		
	SYSTEM INTERFACE		
Processer	ARM Cortex A17 Quad-Core		
RAM	4GB		


Customer Care: +91 265-613-7222

SATATYANVR3204X

32 Channel NVR with 4 SATAPort

Flash	2GB	
OS	Embedded Linux	
Control Mode	Mouse, Device Client and Mobile Client	
CAMERA SUPPORT		
Third Party Camera Support	Cameras with ONVIF 2.0 and above	
ENVIRONMENT CONDITIONS		
Operating Temperature	0°C to +50°C (32°F to 122°F)	
Humidity Range	5% to 95% RH Non-Condensing	
ELECTRICAL AND MECHANICAL		
Power Input	SMPS (100-240 volts AC)	
Dimension	442 (without clamp) x 105.75 x 240.45	
Weight (Kg)	3.88 Kg	

*Specifications are subject to change without prior notification



TELECOM | SECURITY

SATATYA NVR3204X 32 Channel NVR with 4 SATAPort



ABOUT MATRIX

Established in 1991, Matrix is a leader in security and telecom solutions for modern businesses and enterprises. Matrix, an innovative, technology driven and customer focused organization, is committed to keep pace with the revolutions in security and telecom industries. With more than 40% of its human resources dedicated to the development of new products, Matrix has launched cutting-edge products such as Unified Communications, IP-PBX, Universal Gateways, Convergence, VOIP Gateways, GSM Gateways, IP Video Surveillance, Access Control and Time-Attendance. These solutions are feature-rich, reliable and conform to the international standards. Having global footprints in Europe, North America, South America, Africa and Asia through an extensive network of more than 1000 system integrators, Matrix ensures that the products serve the needs of its customers faster and longer. Matrix has gained trust and admiration of customers representing the entire spectrum of industries. Matrix has won many national and international awards for its innovative products.



MATRIX COMSEC

Head Office 394-GIDC, Makarpura, Vadodara-390 010, India. Ph: +91 265-613-7222 E-mail: Inquiry@MatrixComSec.com

Factory

19-GIDC, Waghodia, Dist. Vadodara-391 760, India. Ph: +91 265-613-7222

MATRIX COMSEC – North America

2 Wickstead Crt, Brampton, Ontario, LGR 1N8. +1 408-643-0581 (USA) +1 437- 266-1005 (Canada)

www.MatrixComSec.com